



## Proposed Aberdeen Local Development Plan 2015 Representation Form

Please use this form to make comments on the Proposed Aberdeen Local Development Plan, ensuring that your comments relate to a specific issue, site or policy in either the Proposed Plan, Proposed Supplementary Guidance, Proposed Action Programme or Strategic Environmental Assessment Environmental Report. Please include the relevant paragraph(s) and use a separate form for each issue you wish to raise.

Please return the completed form by post to the Local Development Plan Team, Aberdeen City Council, Business Hub 4, Ground Flood North, Marischal College, Broad Street, Aberdeen AB10 1AB or by email to ldp@aberdeencity.gov.uk.

The consultation period runs between Friday 20<sup>th</sup> March and Monday 1<sup>st</sup> June 2015. Please ensure all representations are with us by <u>5pm on Monday 1<sup>st</sup> June</u>.

## Data Protection Statement

The comments you make on the Proposed Plan will be used to inform the Local Development Plan process and the Examination into the Local Development Plan by the Scottish Ministers' Reporter. You must provide your name and address for your representation to be considered valid, and this information will be made publicly available. Other personal contact details such as telephone and e-mail will not be made public, although we will share these with the Reporter, who may use them to contact you about the comments you have made. For more information about how Aberdeen City Council maintains the security of your information, and your rights to access information we hold about you, please contact Andrew Brownrigg (Local Development Plan Team Leader) on 01224 523317.

Name	Mr/Mrs/Miss/Ms	GEORGE & MAUREEN FINDLAY				
Organisation	41					
On behalf of (if relevant)						
Address	KINGSHILL COTTAGE KINGSHILLS ABERDIEN					
Postcode	AB15 823					
Telephone						
E-mail						

Please tick if you would like to receive all future correspondence by e-mail

If you use more than one sheet or extra paper, please ensure they are securely fixed together.

What document are you commenting on?	(Proposed Plan, Proposed Supplementary Guidance, Proposed Action Programme, Strategic Environmental Assessment Environmental Report)			
	PROPOSED LOW	ML DEVEZ	PEMENT	PLAN
Policy/Site/Issue	DP 37		Paragraph(s)	

## What would you like to say about the issue?

WE BELIEVE THAT THE PRESENT ROAD IS INTALLY UNSUITABLE FOR THE ADDED TRAFFIC NEW ROAD SHOULD BY A INVOLVED AND BUFORE ANY WORK STARTS. WE SPOKE TO SOMEONE IN CONNECTION TO THE TRAFFIC COUNT AND WERE TOWN THAT THE MONITOR DOES NOT WORK IF THE TRAFFIC IS CRAWLING, THIS WOULD BE 5 DAYS A WIEK WHERE THE AMOUNT OF CARS WOULD BE UNDER ESTIMATED ! ENCLOSED IS A FEW PICTURES OF EMERGENCY VEHICLES TRYING TO REACH AN ACCIDENT AT APPROXIMATELY SPM ON A WOLK NIGHT. ANYONE IN
PLANNING MUST PLAINLY SEE THAT THE ROAD IS
UNSUITABLE FOR INCREASED TRAFFIC IF THEY HAVE MHY COMMON

## What change would you like to see made?

NEW ROAD BEFORE ANY WONSTRUCTION
BEGINS.



30/3/2015 PLEASE NOTE TRAFFIC TRILBACK ALL THE WAY

,



30/3/15 APPROXIMATION 5PM